

**Material Safety Data Sheet**  
 May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 11910, 1200, Standard must be  
 Consulted for specific requirements.

**Section I**

Identity (As used on Label and list) <b>eicó Alterior Eggshell (All colours)</b>	
Supplier/Distributor's Name <b>Eico Paints Limited</b>	Emergency Telephone Number <b>+44 (0)845 073 9432</b>
Address <b>861-863 Fulham Road</b>	Telephone Number for Information <b>+44 (0)845 073 9432</b>
<b>London SW6 5HP</b>	Date Prepared
<b>United Kingdom</b>	<b>January 2004</b>

**Section II**

Hazardous (Specific Chemical Identity; Common Name(s)) Components	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
<b>None.</b>				

**Section III – Physical /Chemical Characteristics**

Boiling Point <b>Not known</b>	Specific Gravity (H2O-1) <b>1,2 – 1,3</b>
Vapour Pressure (mm HG) <b>Not known</b>	Melting Point <b>&lt;0</b>
Vapour Density (Air=1) <b>Mainly Water vapour</b>	Evaporation Rate (Butyl Acetate=1) <b>Not known</b>
Solubility in Water <b>Yes.</b>	
Appearance and Odour <b>Viscous white liquid with mild odour.</b>	

**Section IV – Fire and Explosion hazard Data**

Flash Point (Method Used) <b>----</b>	Flammable Limit <b>Not flammable.</b>	LEL	UEL
Extinguishing Media <b>After evaporation of water, the resulting products burn. Use Foam, CO2, Chemical powder or water</b>			
Special Fire Fighting Procedures <b>None known. However in case of fire wear suitable respiratory protection.</b>			
Unusual Fire and Explosion Hazards <b>None known.</b>			

**Section V – Reactivity Data**

Stability	Unstable		Conations to Avoid
	Stable	<b>X</b>	<b>High Temperature</b>
Incompatibility (Materials to Avoid) <b>Oxidizing agents, strongly alkaline and strongly acidic materials</b>			

Hazardous Decomposition or By-products Carbon monoxide, Carbon dioxide and smoke.			
Hazardous	May Occur		Conditions to Avoid
Polymerisation	Will Not occur	x	None.

### Section VI – Health Hazard Data

Route(s) of Entry	Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (acute and chronic) During normal work with the product the health hazard should be considered minimal, inhalation of spray dust to be avoided.			
Carcinogenicity	NTP? N/A	LARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure Inhalation of spray dust may cause irritation in the respiratory system. Accidental swallowing may Cause stomach pain. Repeated or prolonged contact with the product may lead to skin irritation.			
Medical Conditions Generally Aggravated by Exposure			
Emergency and first Aid Procedures In case of doubt seek medical advice.			
<b>By accident:</b> Contact a doctor or hospital, bring the label or this safety data sheet with the patient.			
<b>Inhalation:</b> Move the patient into fresh air and keep the patient under surveillance.			
<b>Eyes:</b> Flush immediately with water for at least 10 minutes. Keep the eye wide open. If necessary seek medical attention.			
<b>Skin:</b> Remove contaminated clothing immediately and wash contaminated skin with soap and water. Skin cleanser may be used. Never use thinner or solvent as these degrease the skin.			
<b>Swallowing:</b> Do not provoke vomiting. If vomiting occurs keep the patients' head low to prevent vomit from entering the lungs.			

### Section VII – Precautions for Safe Handling and Use

Steps to be taken in Case Material is Released or Spilled Collect spillage with an absorbent material e.g. granulate, sand or earth and place in disposable waste containers according to national legislation. Spillage must not be flushed into sewers or streams. Preferably clean with cleansing agent. Avoid use of solvents. If lakes, streams or the drainage systems have been contaminated inform the relevant authorities according to national legislation.			
Waste Disposal Method Spillage, remains and non-cleaned cans should be regarded as chemical waste and be discarded in accordance with national legislation.			
Precautions to Be Taken in Handling and Storing <b>Handling:</b> Avoid inhalation of spray mist. Do not eat or drink in working places. <b>Storage:</b> Keep the product in closed containers, away from children and separated from foodstuffs according to national regulations. Keep the product frost free and away from oxidizing substances and strong acidic or alkaline substances. Opened containers should be carefully closed and kept in an upright position to avoid leakage.			
Other Precautions None			

---

**Section VIII – Control Measures**

Respiratory protection (Specify Type)

**When spraying use a NIOSH approved respirator.**

Ventilation	Local Exhaust	Special <b>Genral ventilation.</b>
	Mechanical (General)	Other <b>Open window.</b>
Protective Gloves	<b>When repeated or prolonged contact with the product is expected, use protective cream or wear gloves.</b>	Eye Protection <b>Wear suitable goggles or face shield as a protection against splashes.</b>
Other Protective Clothing or Equipment	<b>Wear suitable protective clothing.</b>	
Work/Hygienic Practices	<b>Avoid inhalation of spray mist. Do not eat or drink in working places.</b>	