

Chalk Matt

1) IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 <u>Production Identifier</u>

Product name eicó Chalk Matt

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Wallpaint

Uses in coating; apply only as specified on label.

1.3 <u>Details of the supplier of the safety</u> eicó Paints Limited

<u>data sheet</u>

861 - 863 Fulham Road
London, UK - SW6 5HP

+0845 073 9432

1.4 <u>Emergency telephone number</u> Contact National Centre via Hospital or Registered

Medical Practitioner.

2) HAZARDS IDENTIFICATION

2.1 <u>Classification of the substance or mixture</u>

Physical hazards Not classified

Health hazards Not classified

Environmental hazards Not classified

2.2 <u>Label elements</u> Labelling according to Regulation (EC) No. 1272/2008[CLP]

Precautionary statements

P102 Keep out of reach of children.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-

ONE and 2-METHY-2H-ISOTHIAZOL-3-ONE(3:1).

May produce an allergic reaction.

2.3 Other hazards None

3) COMPOSITION/INFORMATION ON INGREDIENTS

3.1 <u>Mixtures</u>

Hazardous ingredients

Contains 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE and 2-METHYL-2H-ISOTHIAZOL-3-

ONE(3:1)

Weight fraction: 0,00015-<0.0015%

Classification 1272/2008 [CLP]: Acute Tox. 3: H301; Acute Tox. 3: H331;



ercő paints Irinted 861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: info@eico.co.uk Web www.eico.co.uk

Chalk Matt

Skin Corr. 1B: H314; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1:H410

3.2 Additional information

For full text of R-, H- and EUH-phrases see section 16.

4) FIRST-AID MEASURES

4.1 <u>Description of first-aid measures</u>

General

In all cases of doubt or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If casualty is unconscious place in recovery position and seek medical advice.

Inhalation

Remove affected person to fresh air. Keep person warm and at rest. If breathing has stopped, is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Ingestion

If swallowed rinse mouth with plenty of water, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do not induce vomiting.

Skin contact

Remove contaminated clothing immediately. Wash skin thoroughly with soap and water or recognised skin cleaners. Do not use solvents or thinners.

Eye contact

Rinse immediately with plenty of water for 15 minutes with open eyelids. Remove contact lenses if any and continue rinsing. Seek immediate medical attention.

4.2 <u>Most important symptoms and effects, both acute and delayed</u> No information available

4.3 <u>Indication of any immediate medical attention and specific treatment needed</u> None

5) FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, carbon dioxide (CO2), extinguishing powder, water mist.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.



ercő paints limited 861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: Info@eico.co.uk Web.www.eico.co.uk

Chalk Matt

5.2 Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxide, carbon dioxide (CO2) and Nitrogen oxides (NOx).

5.3 <u>Advice for firefighters</u>

Protective actions during firefighting

Cool containers exposed to heat with a water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

6) ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not inhale the vapour. See protective measures under points 7 and 8.

6.2 Environmental precautions

Do not allow to enter into soil or subsoil, surface water or drains. In case of gas escape or entry into waterways, soil or drains, inform responsible authorities.

6.3 Methods and materials for containing and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Clear, contain and collect spillage with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth and place container for disposal according to local regulations (see section 13). Clean with detergents. Avoid solvent cleaners.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7) HANDLING AND STORAGE

7.1 <u>Precautions for safe handling</u>

Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. When using do not eat, drink or smoke. See section 8 of the safety data sheet. Never use pressure to empty container. Keep/ store only in original container. Comply with the health and safety at work laws. Do not allow to enter groundwater, surface water or drains, not even in small quantities.

Page 2/9 Date 01/03/2020

Chalk Matt

7.2 Conditions for safe storage, including any incompatibilities

Keep away from oxidising agents, strong alkaline and strong acid materials in order to avoid exothermic reactions.

Store between the following temperatures: 5 to 40°C (41 to 104°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area.

Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

7.3 Specific end uses

None specified

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Measures to control exposure

Appropriate engineering controls

Provide for sufficient ventilation. This can be achieved by local exhaust, general exhaust or air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values

Personal protection

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye and face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mist or dust.

Skin protection

Chemical-resistant, impervious gloves complying with approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 4 - 8 hours (breakthrough time), material: nitrile rubber (0,5 mm thickness).

Body protection

Not required

Respiratory protection

No special protection is required. In case of insufficient ventilation, wear suitable respiratory

Environmental exposure controls

Do not allow to enter into surface water or drains.

Page 4/9 Date 01/03/2020



861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: info@eico.co.uk Web www.eico.co.uk

Chalk Matt

9) PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid Colour White Noticeable Odour Odour threshold No data available

pH value 7-9

Melting point/range No data available

100°C Boiling point/range >100°C Flash point

Evaporation rate No data available Flammability No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure (20°C) No data available Relative vapour density (20°C) No data available Density (20°C) 1,45-1,55g/cm³

Water solubility (20°C) 100Wt%

Log PO/W No data available Ignition temperature No data available Decomposition temperature No data available Viscosity (20°C) ca. 34500mPa·s Explosive properties No data available Oxidising properties No data available

The product has not been tested on the properties that are listed on the safety data sheet as

"No data available".

9.2 Other information

None

10) STABILITY AND REACTIVITY

There are no known reactivity hazards associated with this product.

10.2 Chemical stability

Stable at normal ambient temperatures and when used as recommended.

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkalic and strongly acidic materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

10.5 Incompatible materials

Reactive or incompatible with the following materials: oxidizing materials

Page 5/9 Date 01/03/2020



ercő paints Irinted 861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: info@eico.co.uk Web www.eico.co.uk

Chalk Matt

10.6 <u>Hazardous decomposition products</u>

Carbon dioxide, Carbon monoxide, Nitrogen oxides.

11) TOXICOLOGICAL INFORMATION

11.1 <u>Information on toxicological effects</u>

Acute effects

Acute oral toxicity parameter:

LD50 (a mixture of 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE and 2-METHYL-2H-ISOTHIAZOL-

3-ONE(3:1); CAS No. 55965.84.9)

Exposure rout: Oral Species: Rat

Effective dose: 0,33 mg/l Exposure time: 4h

12) ECOLOGICAL INFORMATION

Avoid release into the environment. Refer to special instructions/safety data sheets.

12.1 <u>Toxicity</u>

Aqua toxicity - Acute (short-term) fish toxicity

Parameter: LC50 (a mixture of 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE and 2-METHYL-2H-

ISOTHIAZOL-3-ONE (3:1); CAS No. 55965-84-9) Species: Oncorhynchus mykiss (Rainbow trout)

Effective dose: 0,19mg/l Exposure time: 96h

Acute (short-term) daphnia toxicity

Parameter: EC50 (a mixture of 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE and 2-METHYL-2H-

ISOTHIAZOL-3-ONE (3:1); CAS No. 55965-84-9)

Species: Daphnia magna (Big water flea)

Effective dose: 0,16mg/l Exposure time: 48h

Acute (short-term) algae toxicity

Parameter EC50 (a mixture of 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE and 2-METHYL-2H-

ISOTHIAZOL-3-ONE (3:1); CAS No. 55965-84-9) Species: Pseudokirchneriella subcapitata (Microalgae)

Effective dose: 0.027mg/l Exposure time: 72h

Persistence and degradability

No information available

Bioaccumulative potential

No information available



eicő paints Irinted 861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Emait: info@eico.co.uk: Web www.eico.co.uk

Chalk Matt

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available

Other adverse effects

No information available

13) DISPOSAL CONSIDERATIONS

Waste treatment methods

Avoid release to the environment. Refer to special safety instructions. Waste disposal according to directive 2008/98/EC in the corresponding versions, covering waste and hazardous waste. Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Unclean packaging should be disposed of in the same manner as the medium.

14) TRANSPORT INFORMATION

Transport within user's premises

UN Number

No dangerous goods in sense of this transport regulation

UN proper shipping name

No dangerous goods in sense of this transport regulation

Transport hazard class(es)

No dangerous goods in sense of this transport regulation

Packing group

Not applicable

Environmental hazards

Environmentally hazardous substances

No

Marine pollutant

No

Special precautions for user

Not applicable

Page 7/9 Date 01/03/2020



ecő paints limited 561 - 863 Fulham Road - London - SW6 5HP fel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: info®eico.co.uk. Web www.eico.co.uk

Chalk Matt

15) REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2 <u>Chemical safety assessment</u>

No chemical safety assessment has been carried out.

16) OTHER INFORMATION

CLP

16.1 <u>Abbreviations and acronyms</u>

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ASTM American Society of Testing and Materials (US)

ATE Acute Toxicity Estimate

CAS No Chemical Abstracts Service Number (see ACS - American Chemical Society)

Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL Derived No-Effect Level

DT50 Degradation Time for 50% of a compound

EbC50 Median effective concentration (biomass, e.g. of algae)

EC50 Median effective concentration

EINECS European Inventory of Existing Commercial Chemical Substance

ELINCS European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

ErC50 Median effective concentration (growth rate, e.g. of algae)

EUH Statement CLP-specific Hazard statement EWC European Waste Catalogue

IATA International Air Transport Association
IC50 Concentration that produces 50% inhibition
IMDG International Maritime Dangerous Goods Code

IMO International Maritime Organization

LC50 Concentration required to kill 50% of test organisms

LD50 Dose required to kill 50% of test organisms
LEL Lower Explosive Limit/Lower Explosion Limit
LOAEL Lowest Observed Adverse Effect Level

MRL Maximum Residue Limit

NOAEL
NO Observed Adverse Effect Level
NOEC
No Observed Effect Concentration
NOEL
No Observed Effect Level
OEL
Occupational Exposure Limits
PBT
Persistent, Bioaccumulative or Toxin
PNEC
Predicted Non Effect Concentration
RRN
REACH Registration Number

PICÓ
AFETY DATA SHEET

ercő paints limited 861 - 863 Fulham Road - London - SW6 5HP Tel: +44 (0)845 073 9432 Fax: +44(0)207 384 3723 Email: Info@eico.co.uk Web:www.eico.co.uk

Chalk Matt

STEL

Data of issue

Version

	TWA	Time-Weighted Average	
	vPvB	Very Persistent and Very Bioaccumulative	
16.2	Relevant R-, H- and EUH-phrases (Number and full text)		
	H301	Toxic if swallowed	
	H311	Toxic in contact with skin	
	H314	Causes severe skin burns and eye damage	
	H317	May cause an allergic skin reaction	
	H331	Toxic if inhaled	
	H400	Very toxic to aquatic life	
	H410	Very toxic to aquatic life with long lasting effects	
	R34	Causes severe skin burns and eye damage	
	R43	May cause sensitisation by skin contact	
	R50	Very toxic to aquatic organisms	
	R53	May cause long-term adverse effects in the aquatic environment.	
16.3	This Safety	This Safety Data Sheet is prepared according to Regulation (EC) No 1272/2008 [CPL/GHS].	

Short-Term Exposure Limit

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in the safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessary valid for the new made-up material.

01/03/2020 (No Revision)

Page 9/9 Date 01/03/2020